

Figure 1
(Prior Art)

40




Figure 2




Figure 3A




Figure 3B

09263450 - 032196




Figure 4

500




Figure 5

610

<i>cts</i>	<i>ctype</i>	<i>subunit_type</i>	<i>subId</i>	<i>opcode</i>	<i>operand[0]</i>
quadlet1					
quadlet2					
(...)					

Figure 6

620

cts	ctype	subunit_type	subId	opcode	plugId
modes					
			objectIdHi		
			objectIdLo		
startTimeHi					
			startTimeLo		
maxFileLengthHi					
			maxFileLengthLo		
maxElapsedTimeHi					
			maxElapsedTimeLo		
tocPlacement					

Figure 7

630

cts	ctype	subunit_type	subId	opcode	plugId
modes					
objectIdHi					
objectIdLo					
startOffsetHi					
startOffsetLo					
endOffsetHi					
endOffsetLo					

Figure 8

640

cts	ctype	subunit_type	subId	opcode	plugId
modes					
objectIdHi					
objectIdLo					
startOffsetHi					
startOffsetLo					
endOffsetHi					
endOffsetLo					
entrySelect					
elementSelect					

Figure 9




Figure 10

680

cts	ctype	subunit_type	subId	opcode	plugId
modes					
objectIdHi					
objectIdLo					
byteOffsetHi					
byteOffsetLo					
-					
returnedDataValues (256 bytes)					
-					
-					

Figure 11

690

cts	ctype	subunit_type	subId	opcode	plugId
modes					
objectIdHi					
objectIdLo					
byteOffsetHi					
byteOffsetLo					
returnedDataValues (256 bytes)					

Figure 12